



WINE-MATE

PROFESSIONAL SOLUTIONS FOR
WINE CELLAR CLIMATE CONTROL



Self Contained



Ductless Split




Ducted Ready



WWW.WINEMATE.COM

VINOTEMP

17631 SOUTH SUSANA ROAD, RANCHO DOMINGUEZ, CA 90221
TEL: 1(800) 777-8466 FAX: (310) 886-3310 EMAIL: INFO@VINOTEMP.COM



| SELF CONTAINED | DESCRIPTION | BTUH(55/75°F)/ CFM/dB(3FT) | CAPACITY | | WARRANTY (LABOR/PARTS) | WEIGHT (lb) | DIMENSIONS (Length x Height x Depth) | ELECTRICAL |
|----------------|--------------|----------------------------|------------|--------------|------------------------|-------------|--------------------------------------|---------------|
| (A) 1500HTD | Rear Exhaust | 1500/120/50 | 150 cu ft | 800 bottles | 1/5 YEAR | 55 | 18L x 10.5H x 16D | 115V 60Hz 4A |
| (A) 1500HTDTE | Top Exhaust | 1500/120/50 | 150 cu ft | 800 bottles | 1/5 YEAR | 55 | 18L x 10.5H x 16D | 115V 60Hz 4A |
| (A) 2500HTD | Rear Exhaust | 2500/180/55 | 250 cu ft | 1200 bottles | 1/5 YEAR | 60 | 18L x 10.5H x 16D | 115V 60Hz 5A |
| (A) 2500HTDTE | Top Exhaust | 2500/180/55 | 250 cu ft | 1200 bottles | 1/5 YEAR | 60 | 18L x 10.5H x 16D | 115V 60Hz 5A |
| (B) 1500CD | Rear Exhaust | 1500/120/50 | 150 cu ft | 800 bottles | 1/5 YEAR | 50 | 18L x 10.5H x 16.5D | 115V 60Hz 4A |
| (B) 1500CTED | Top Exhaust | 1500/120/50 | 150 cu ft | 800 bottles | 1/5 YEAR | 50 | 18L x 10.5H x 16.5D | 115V 60Hz 4A |
| (B) 2500CD | Rear Exhaust | 2500/180/55 | 250 cu ft | 1200 bottles | 1/5 YEAR | 55 | 18L x 10.5H x 16.5D | 115V 60Hz 5A |
| (B) 2500CTED | Top Exhaust | 2500/180/55 | 250 cu ft | 1200 bottles | 1/5 YEAR | 55 | 18L x 10.5H x 16.5D | 115V 60Hz 5A |
| (C) 1500HZD | Rear Exhaust | 1500/120/50 | 150 cu ft | 800 bottles | 1/5 YEAR | 50 | 14.25L x 13.25H x 16D | 115V 60Hz 4A |
| (C) 2500HZD | Rear Exhaust | 2500/180/55 | 250 cu ft | 1200 bottles | 1/5 YEAR | 55 | 14.25L x 13.25H x 16D | 115V 60Hz 5A |
| (D) 3500HZD | Rear Exhaust | 3500/250/58 | 650 cu ft | 3000 bottles | 1/5 YEAR | 75 | 14.25L x 19.75H x 21.25D | 115V 60Hz 6A |
| (D) 4500HZD | Rear Exhaust | 4500/250/58 | 1000 cu ft | 4500 bottles | 1/5 YEAR | 75 | 14.25L x 19.75H x 21.25D | 115V 60Hz 9A |
| (E) 6500HZD | Rear Exhaust | 6500/500/65 | 1500 cu ft | 6500 bottles | 1/5 YEAR | 110 | 17L x 22H x 28D | 115V 60Hz 14A |
| (E) 8500HZD | Rear Exhaust | 8500/500/65 | 2000 cu ft | 8500 bottles | 1/5 YEAR | 110 | 17L x 22H x 28D | 115V 60Hz 16A |



| DUCTLESS SPLIT | DESCRIPTION | BTUH(55/90°F)/ CFM/dB(3FT) | CAPACITY | | WARRANTY (PARTS ONLY) | WEIGHT (lb) (EVAP/COND) | DIMENSIONS (EVAP) (Length x Height x Depth) | ELECTRICAL 115V 60Hz (EVAP/COND) |
|----------------|---------------|----------------------------|------------|--------------|-----------------------|-------------------------|---|----------------------------------|
| (F) 1500SSL | Ceiling Mount | 1500/180/50 | 150 cu ft | 800 bottles | 1 YEAR | 15/30 | 16.75L x 4.75H x 14.5D | 0.4A/3.1A |
| (F) 2500SSL | Ceiling Mount | 2500/275/50 | 250 cu ft | 1200 bottles | 1 YEAR | 30/40 | 31.75L x 4.75H x 14.5D | 0.4A/5.7A |
| (F) 4500SSL | Ceiling Mount | 4500/460/50 | 1000 cu ft | 4500 bottles | 1 YEAR | 37/60 | 40.25L x 4.75H x 14.5D | 0.8A/6.9A |
| (F) 6500SSL | Ceiling Mount | 6500/575/55 | 1500 cu ft | 6500 bottles | 1 YEAR | 61/90 | 53.75L x 6.75H x 16.5D | 0.8A/12A |
| (G) 2500SSD | Ceiling Mount | 2500/350/50 | 250 cu ft | 1200 bottles | 1 YEAR | 35/40 | 17.5L x 7.5H x 23D | 1A/5.7A |
| (G) 4500SSD | Ceiling Mount | 4500/580/55 | 1000 cu ft | 4500 bottles | 1 YEAR | 40/60 | 17.5L x 10.5H x 23D | 1A/6.9A |
| (G) 6500SSD | Ceiling Mount | 6500/660/58 | 1500 cu ft | 6500 bottles | 1 YEAR | 66/90 | 21L x 11.75H x 30D | 1.5A/12A |
| (G) 8500SSD | Ceiling Mount | 8500/810/58 | 2000 cu ft | 8500 bottles | 1 YEAR | 95/115 | 21L x 13.5H x 30D | 1.5A/15A |
| (H) 1500SSW | Wall Mount | 1500/105/55 | 150 cu ft | 800 bottles | 1 YEAR | 26/30 | 16L x 36H x 5.5D | 0.35A/3.1A |
| (H) 2500SSW | Wall Mount | 2500/175/55 | 250 cu ft | 1200 bottles | 1 YEAR | 28/40 | 16L x 36H x 5.5D | 0.71A/5.7A |
| (I) 2500SSR | Rack Mount | 2500/220/55 | 250 cu ft | 1200 bottles | 1 YEAR | 26/40 | 30L x 11.375H x 11.125D | 0.77A/5.7A |
| (I) 4500SSR | Rack Mount | 4500/335/58 | 1000 cu ft | 4500 bottles | 1 YEAR | 35/60 | 36L x 14.375H x 11.125D | 0.77A/6.9A |
| (I) 6500SSR | Rack Mount | 6500/420/58 | 1500 cu ft | 6500 bottles | 1 YEAR | 43/60 | 42L x 14.375H x 11.125D | 1.9A/12A |



| DUCTABLE | DESCRIPTION | BTUH(55/90°F)/ CFM/dB(ROOM) | CAPACITY | | WARRANTY (PARTS ONLY) | WEIGHT (lb) (EVAP/COND) | DIMENSIONS (EVAP) (Length x Height x Depth) | ELECTRICAL 115V 60Hz (EVAP/COND) |
|-------------|----------------|-----------------------------|------------|--------------|-----------------------|-------------------------|---|----------------------------------|
| (J) 4500DS | Self-contained | 4500/380/45 | 1000 cu ft | 4500 bottles | 1 YEAR | 140 | 45L x 23H x 31D | 8A |
| (J) 6500DS | Self-contained | 6500/490/45 | 1500 cu ft | 6500 bottles | 1 YEAR | 170 | 45L x 23H x 31D | 14A |
| (J) 8500DS | Self-contained | 8500/750/45 | 2000 cu ft | 8500 bottles | 1 YEAR | 220 | 45L x 23H x 31D | 17A |
| (K) 2500SSH | Split | 2500/220/45 | 250 cu ft | 1200 bottles | 1 YEAR | 30/40 | 22.5L x 14.38H x 15.88D | 0.8A/5.7A |
| (K) 4500SSH | Split | 4500/380/45 | 1000 cu ft | 4500 bottles | 1 YEAR | 39/60 | 25.125L x 16.38H x 22.88D | 1.8A/6.9A |
| (K) 6500SSH | Split | 6500/490/45 | 1500 cu ft | 6500 bottles | 1 YEAR | 48/90 | 25.125L x 20.38H x 22.88D | 1.8A/12A |
| (K) 8500SSH | Split | 8500/750/45 | 2000 cu ft | 8500 bottles | 1 YEAR | 58/115 | 27.125L x 22.38H x 22.88D | 2.1A/15A |

